

## **txt001.php**

```
<?php
// txt001.php
// This is the include code for text presentation ...

$vv1 = $_GET['vv1'];
$pageid = "DBtxt001.php";
$textid = $vv1;

if (!$vv1 == "")
{
$txtpage = "./DBtext/$vv1".$_php";
include($txtpage);
}
else
{
$txtpage = "./DBtext/txt00000003.php";
include($txtpage);
}

include("../DBadmin/DBadmin000panelatop1.php");
$_SESSION['pageid2']=$pageid;
$_SESSION['textid2']=$textid;

$vaction1 = $_POST['vaction1'];
if ($vaction1 == "")
{
$vaction1 = 0 ;
}

$showcomment = $_POST[showcomment];
if ($showcomment == "")
{
$showcomment = 0 ;
}

$sessionnumber = $_SESSION[sessionnumber];
// $textid = $vv1 ;
// $pageid = $_SESSION[pageid] ;
$fdbktitle1 = $_POST[fdbktitle1] ;
$fdbktext = $_POST[fdbktext] ;

echo "<FONT SIZE = 1 color = black font face = 'Verdana'>" ;

if ($sessaccesslevel == "")
```

```

{
$sessaccesslevel = 0 ;
}

include("../DBadmin/DBadmin000panelatop2a.php");

echo "<table width = 100% bgcolor = white>" ;
echo "<tr>" ;

echo "<td width = 100%>" ;
echo "<table width = 100% bgcolor = white>" ;
// A ROUTINE TO SHOW THE SESSION VARIABLES USED TO CUSTOMIZE PAGES
// THIS HAS <TR> </TR> AROUND THE CODE
include("../DBadmin/DBadmin000showvariables.php");
echo "</table>" ;

echo "</td>" ;
echo "</tr>" ;
echo "</table>" ;

//<!-- Start of Table B -->
//echo "<table width = 100% bgcolor = '#ffff1bf >" ;
//echo "<table width = 100% bgcolor = green >" ;
//echo "<table width = 100% bgcolor = blue >" ;
echo "<table width = 100% bgcolor = white >" ;

echo "<tr>" ;

//echo "<td bgcolor = '#ffff1bf width = 2% valign = 'top'>" ;
//echo "<td bgcolor = blue width = 2% valign = 'top'>" ;
echo "<td bgcolor = white width = 2% valign = 'top'>" ;
echo "</td>" ;

echo "<td width = 94% align = center valign = top >" ;

echo "<table width = 100% bgcolor = white>" ;

// IF the visitor is already logged in the sessaccesslevel will by 2 or higher

if ($sessaccesslevel == 0)
{

echo "<td bgcolor = '#FFFFFF' width = 100% valign = 'top'>" ;

echo "<table width = 100% bgcolor = white>" ;
echo "<tr>" ;
echo "<FONT SIZE = 1 color = black font face = 'Verdana'>" ;
echo "<td width = 100% valign = top >" ;
}

```

```

echo "<center>" ;
echo "$vtitle1" ;
echo "$vtitle2" ;
echo "</center>" ;
echo "$vtwolinetext" ;
echo "<hr>" ;
echo "</td>" ;
echo "</tr>" ;
echo "<tr>" ;
echo "<td width = 100% valign = top >" ;
echo "<p>$vauthor" ;
echo "<br>" ;
echo "<p>$vdate" ;
echo "<hr>" ;
echo "<p>$vtxtpublic" ;
echo "<hr>" ;
echo "<p><FONT SIZE = 2 color = black font face = 'Verdana'>" ;
echo "The text being discussed is available at $vURL" ;
echo "</td>" ;
echo "</tr>" ;
echo "</table>" ;

}

else
{
// The following defines the center panel content

///////////
// IF the visitor is already logged in the sessaccesslevel will by 2 or higher

echo "<FONT SIZE = 1 color = black font face = 'Verdana'>" ;

echo "<table width = 100% bgcolor = white> " ;
echo "<tr>" ;
echo "<td width = 100% valign = top >" ;
echo "<center>" ;
echo "$vtitle1" ;
echo "$vtitle2" ;
echo "</center>" ;
echo "$vtwolinetext" ;
echo "<hr>" ;
echo "</td>" ;
echo "</tr>" ;

echo "<tr>" ;
echo "<td width = 100%>" ;

echo "<hr>" ;
echo "$vauthor" ;

```

```

echo "<br>" ;
echo "$vdate" ;

echo "$vtxtpublic" ;

echo "</td>" ;
echo "</tr>" ;
echo "</table>" ;

//echo "<table width = 100% bgcolor = #ffffff >" ;
echo "<table width = 100% bgcolor = red >" ;
echo "<tr>" ;
echo "<td width = 100% >" ;

if ($sessaccesslevel > 5)
{
echo "<hr>" ;
echo "<b>The following is a private copy only available to trusted members with access
privileges</b>" ;
echo "<br>" ;
echo "The URL is:
<br>
$vURL" ;
echo "<hr>" ;
echo "$vtxtprivate" ;
}
else
{
echo "<hr>" ;
echo "The text being discussed is available at:
<br>
$vURL" ;
}

echo "</td>" ;
echo "</tr>" ;
echo "</table> " ;

}

///////////////////////////////
echo "<FONT SIZE = 1 color = black font face = 'Verdana'>" ;
echo "<hr>" ;
//<!-- Start of Table B --&gt;
echo "&lt;table width = 100% bgcolor = 'white' &gt;" ;

$setupcomments = "./DBadmin/".$pageid."?vv1=$textid" ;
echo "&lt;form action= '$setupcomments' method = 'POST' &gt;" ;
</pre>

```

```

echo "<tr>" ;
echo "<td width = 20% valign = top align='right' >" ;
echo "<FONT SIZE = 1 color = black font face = 'Verdana'>" ;
echo "TITLE" ;
echo "</td>";

echo "<td width = 2% >";
echo "</td>";

echo "<td width = 70% valign = top>";
echo "<FONT SIZE = 1 color = black font face = 'Verdana'>" ;

echo "<textarea name='fdbktitle1' rows = '1' cols = '50' maxsize = '200'
value='$_POST[fdbktitle1]' >" ;
echo "</textarea>" ;

echo "</td>";

echo "<td width = 20% >";
echo "</td>";
echo "</tr>" ;

echo "<tr>" ;
echo "<td width = 20% valign = top align='right' >" ;
echo "<FONT SIZE = 1 color = black font face = 'Verdana'>" ;
echo "Feedback comment" ;
echo "<br>Max 200 words." ;
echo "<br>" ;
echo "vaction is $vaction1" ;
echo "<br>" ;
echo "vshow is $showcomment" ;

echo "</td>";

echo "<td width = 2% >";
echo "</td>";

echo "<td width = 70% valign = top>";
echo "<FONT SIZE = 1 color = black font face = 'Verdana'>" ;

echo "<textarea name='fdbktext' rows = '5' cols = '50' maxsize = '1000'
value='$_POST[fdbktext]' >" ;
echo "</textarea>" ;

//echo "</td>" ;

//echo "<td width = 20% valign = top >" ;

```

```

echo "<center>" ;
echo "<input type = 'hidden' name = 'oldpageid' value = '$pageid2'>
<input type = 'hidden' name = 'pagenumber' value = '$pagenumber'>
<input type = 'hidden' name = 'vaction1' value = 2 >
<input type = 'hidden' name = 'commnnumber' value = '$commnnumber' >
<input type = 'hidden' name = 'commname' value = '$commname' >" ;
echo "<input type='submit' name='POST' value='POST'> " ;
echo "</form>" ;
echo "</center>" ;
echo "</td>" ;

echo "<td width = 20% valign = top >" ;

switch ($vaction1)
{
case 0 ;

// Find out how many comments are in the database relative to this $pageid
// count is $commentcount

$query00 =
"SELECT
count(fdbksessnumber) as commentcount
FROM feedback
WHERE fdbkpageid = '$pageid' AND fdbktextid = '$textid'
" ;

$result00 = mysql_query($query00);
$row00 = mysql_fetch_array($result00);
extract ($row00);

echo "<FONT SIZE = 1 color = black font face = 'Verdana'>";
echo "There are $commentcount comments";

$setupcomments = "../DBadmin/".$pageid".?vv1=$textid" ;
echo "<form action= '$setupcomments' method = 'POST' >";
echo "<input type = 'hidden' name = 'oldpageid' value = '$pageid2'>
<input type = 'hidden' name = 'pagenumber' value = '$pagenumber'>
<input type = 'hidden' name = 'vaction1' value = 0 >" ;
if ($showcomment == 1)
{
echo "<input type = 'hidden' name = 'showcomment' value = 0 >" ;
echo "<input type='submit' name='Preview' value='Hide comments'> " ;
}
else
{
echo "<input type = 'hidden' name = 'showcomment' value = 1 >" ;
echo "<input type='submit' name='Preview' value='Show comments'> " ;
}

```

```

echo "</form>" ;

echo "</td>" ;
echo "</tr>" ;
echo "</table> " ;

break ;

case 2 ;
// THIS IS TO POST A COMMENT ... TO PUT THE COMMENT INTO THE DATABASE
// AND THEN SHOW THE COMMENTS

echo "<td width = 20% valign = top >" ;

///////////////////////////////
// Routine to save the save the previewed material
// put data into the database

$fdbktitle1 = $_POST[fdbktitle1] ;
$fdbktext = $_POST[fdbktext] ;

$fdbktitle1aaa = mysql_real_escape_string($fdbktitle1) ;
$fdbktextaaa = mysql_real_escape_string($fdbktext) ;

$queryfdbk03=
"INSERT INTO feedback (
fdbksessnumber,
fdbkpersname,
fdbkemail,
fdbkpageid,
fdbktextid,
fdbktitle1,
fdbktext,
fdbkdate,
fdbkdatetime
) VALUES (
'$sessnumber',
'$username',
'$useremail',
'$pageid',
'$textid',
'$fdbktitle1aaa',
'$fdbktextaaa',
'$editdate',
'$editdatetime'
)";

$resultfdbk03 = mysql_query($queryfdbk03);

```

```

$query00 =
"SELECT
count(fdbksessnumber) as commentcount
FROM feedback
WHERE fdbkpageid = '$pageid' AND fdbktextrid = '$textid'
" ;

$result00 = mysql_query($query00);
$row00 = mysql_fetch_array($result00);
extract ($row00);

echo "<FONT SIZE = 1 color = black font face = 'Verdana'>";
echo "There are $commentcount comments";

$setupcomments = "../DBadmin/".$pageid."?vv1=$textid" ;
echo "<form action= '$setupcomments' method = 'POST' >";
echo "<input type = 'hidden' name = 'oldpageid' value = '$pageid2'>
<input type = 'hidden' name = 'pagenumber' value = '$pagenumber'>
<input type = 'hidden' name = 'vaction1' value = 0 >" ;
if ($showcomment == 1)
{
echo "<input type = 'hidden' name = 'showcomment' value = 0 >" ;
echo "<input type='submit' name='Preview' value='Hide comments'> " ;
}
else
{
echo "<input type = 'hidden' name = 'showcomment' value = 1 >" ;
echo "<input type='submit' name='Preview' value='Show comments'> " ;
}
echo "</form> ;

echo "</td>" ;
echo "</tr>" ;
echo "</table> " ;

break ;

default ;
echo "<td width = 20% valign = top >" ;

echo "This is the default situation" ;

echo "</td>" ;
echo "</tr>" ;
echo "</table> " ;

break ;
}

```

```

//SHOW THE COMMENTS HERE
switch ($showcomment)
{
case 0 ;

if ($vaction1 == 2)
{
echo "<table width = 100% bgcolor = white>" ;
echo "<tr>" ;
echo "<td width = 100% valign = top >" ;
echo "<FONT SIZE = 1 color = black font face = 'Verdana'>" ;

//echo "vshow is $showcomment" ;
//echo "<br>" ;
echo "Your comment has been posted" ;
echo "<br>" ;
echo "$username" ;
echo " on " ;
echo "$editdate" ;
echo "<br>" ;
echo "<b>$fdbktitle1</b>" ;
echo "<br>" ;
echo "$fdbktext" ;
echo "<hr>" ;
echo "</td>" ;
echo "</tr>" ;
echo "</table>" ;
//echo "<hr>" ;
}

break ;

case 1 ;

echo "<table width = 100% bgcolor = 'white' >" ;
echo "<tr>" ;
echo "<td width = 100%>" ;

echo "Comments. There is/are $commentcount." ;
echo "<br>" ;

// SELECT ALL THE COMMENTS FROM THE DATABASE THAT RELATE TO THIS
$pageid
//SHOW THE COMMENTS HERE

$query01=
"SELECT
fdbknumber,

```

```

fdbksessnumber,
fdbkpersname,
fdbkemail,
fdbkpageid,
fdbktext,
fdbkttitle1,
fdbkdate,
fdbkdatetime
FROM feedback
WHERE fdbkpageid = '$pageid' AND fdbktextid = '$textid'
ORDER BY fdbknumber DESC
";

$result01 = mysql_query($query01);
//$row01 = mysql_fetch_array($result01);
//extract ($row01);

while ( $row01 = mysql_fetch_array ($result01))
{
extract ($row01);

echo "<table width = 100% bgcolor = white>" ;
echo "<tr>" ;
echo "<td width = 100% valign = top bgcolor = white>" ;
echo "<hr>" ;
echo "$fdbknumber " ;
echo " | " ;
echo "$fdbkpersname" ;
echo " on " ;
echo "$fdbkdate" ;
echo "<br>" ;
echo "<b>$fdbkttitle1</b>" ;
echo "<br>" ;
echo "$fdbktext" ;
echo "</td>" ;
echo "</tr>" ;
echo "</table>" ;
}
// END OF SHOWING THE COMMENTS
echo "</td>" ;
echo "</tr>" ;
echo "</table>" ;

break;

default ;
break ;
}

```

```

//<!-- Right margin of the central text section --->
//echo "<td bgcolor = '#ffff1bf' width = 2% valign = 'top'>" ;
echo "<td bgcolor = white width = 5% valign = 'top'>" ;
echo "</td>" ;

///////////////////////////////
// THIS TABLE GIVES AN ATTRACTIVE CLOSE TO THE CENTER PAGE TEXT
// echo "<table width = 100% bgcolor = #ffffff >" ;
echo "<table width = 100% bgcolor = yellow >" ;
echo "<tr>" ;
echo "<td width = 100% >" ;
//echo "<hr>" ;
echo "</td>" ;
echo "</tr>" ;
echo "</table>" ;

//echo "<table width = 100% bgcolor = #ffff1bf >" ;
echo "<table width = 100% bgcolor = yellow >" ;
echo "<tr>" ;
echo "<td width = 100% >" ;
echo "<br>" ;
echo "</td>" ;
echo "</tr>" ;
echo "</table>" ;

// End of the cell for main text routines
echo "</td>" ;

echo "</tr>" ;
echo "</table>" ;

// The HTML and the text for the footer
include("../DBadmin/DBadmin000panelefooter1.php");
///////////////////////
?>

```

## **DBadmin000feedback001.php**

```
<?php  
  
// Name of file is DBadmin000feedback001.php  
// Called from various pages using the following  
// include("../DBadmin/DBadmin000feedback001.php");  
  
echo "<FONT SIZE = 1 color = red font face = 'Verdana'>" ;  
// set $vv3 = 1 so that a blank form is presented  
$vfeedback = "../DBadmin/DBfeedback001.php?vv1=$vv1"."&vv2=\"$vv2\".&vv3=\"1\".  
\"&vv4=\"$vv4\".&vv5=\"$vv5\".&vv6=\"$pageid\".&vv7=\"$vv7\".&vv8=\"$vv8\".&vv9  
=\"$vv9\" ;  
echo "<br><center>FEEDBACK ... WHAT DO YOU THINK ABOUT THIS PAGE? " ;  
echo "<FONT SIZE = 1 color = black font face = 'Verdana'>" ;  
echo "<a href= '$vfeedback'>." GIVE FEEDBACK".</a></center>" ;  
echo "<FONT SIZE = 1 color = red font face = 'Verdana'>" ;  
echo "<center><b>WE TAKE FEEDBACK SERIOUSLY ... PLEASE LET US KNOW WHAT  
YOU THINK <b></center>" ;  
  
?>
```

## **DBfeedback001.php**

```
<?php

// File name is DBfeedback001.php
// UPDATE THE pageid IN A WAY THAT ENABLES RETURN TO THE OLD PAGE
$pageid = "DBfeedback001.php" ;
include("../DBadmin/DBadmin000panelatop1.php");
// The Top Header Visual
include("../DBadmin/DBadmin000panelatop2.php");
// An announcement across the top
include("../DBadmin/DBadmin000panelatop3.php");
// HTML to format left panel
include("../DBadmin/DBadmin000panelbleft1.php");

// CONTENT
// The following defines the left panel content
// HTML to move from left panel to central panel
include("../DBadmin/DBadmin000panelbleft2.php");

///////////////////////////////
// CONTENT
// The following defines the center panel content
/////////////////////////////
$oldpageid = $_SESSION['oldpageid'] ;
$_SESSION['gobacktopageid']=$oldpageid;
$commnumber = $_SESSION['commnumber'] ;
$orgnnumber = $_SESSION['orgnnumber'] ;
$persnumber = $_SESSION['persnumber'] ;
$username = $_SESSION['username'] ;
$useremail = $_SESSION['useremail'] ;
$pageid2 = $_SESSION['pageid2'] ;

/*
echo "$oldpageid" ;
echo " ** " ;
echo "$commnumber" ;
echo " ** " ;
echo "$orgnnumber" ;
echo " ** " ;
echo "$persnumber" ;
echo " ** " ;
echo "$username" ;
echo " ** " ;
echo "$useremail" ;
*/
```

```

if ($commnumber > 0)
{
$query1=
"SELECT
COUNT(commname) as count
FROM communities
WHERE commnumber = $commnumber
";

$result1 = mysql_query($query1);
$row1 = mysql_fetch_array($result1);
extract ($row1);

if ($count > 0) {
$query2=
"SELECT
commname
FROM communities
WHERE commnumber = $commnumber
";

$result2 = mysql_query($query2);
$row2 = mysql_fetch_array($result2);
extract ($row2);
}
else
{
}
}
else
{
$commname = "Not identified" ;
}

echo "<form action='..../DBadmin/'."DBfeedback002.php' method = 'POST' >";

//<!-- Start of Table A -->
echo "<table width = 100% bgcolor = 'white' >" ;

// A ROUTINE TO SHOW THE SESSION VAIRABLES USED TO CUSTOMIZE PAGES
include("../DBadmin/DBadmin000showvariables.php");

echo "<tr>" ;

echo "<td width = 100% align = center valign = top >" ;

echo "<FONT SIZE = 4 color = green font face = 'Verdana'>";
echo "<center>";
echo "<b>Feedback</b><br>";

```

```

echo "<FONT SIZE = 1 color = black font face = 'Verdana'>";
echo "TVM is about people based data, data that everyone can relate to. Therefore we want
feedback.
We want better ideas, better ways to do things. It seems sensible to try to get the best of
what you and everyone else can offer. ";
echo "<hr> ";
echo "This is feedback from webpage $pageid2. " ;
echo "<hr> ";
//echo "The feedback relates to this community: $commname. <br> If not, make it clear in the
text. " ;

echo "</td>";
echo "</tr>";
echo "</table >";

///////////
// IF the visitor is already logged in the sessaccesslevel will by 2 or higher

echo "<FONT SIZE = 1 color = black font face = 'Verdana'>";

//<!-- Start of Table B -->
echo "<table width = 100% bgcolor = 'white' >" ;
echo "<tr> ";
echo "<td width = 30% valign = top align=right>";
//echo "<hr>";
echo "<FONT SIZE = 1 color = black font face = 'Verdana'>";
echo "Your name ";

echo "<td width = 2% >";
echo "</td>";

echo "</td><td width = 70% valign = top ><FONT SIZE = 1 color = black font face =
'Verdana'>";
//echo "<hr>";

//$username = $sessvisrname ;
//$emailaddress = $sessvisremail ;

echo "<input type='text' size = '40' maxsize = '50' name='username' value=$username >" ;
echo "</td></tr> " ;

echo "<tr><td align='right' valign = top ><FONT SIZE = 1 color = black font face =
'Verdana'>";
echo "E-mail address" ;
echo "</td>";

echo "<td width = 2% >";
echo "</td>";

```

```

echo "<td valign = top ><FONT SIZE = 1 color = black font face = 'Verdana'>" ;
echo "<input type='text' size = '40' maxsize = '50' name='emailaddress' value=$useremail > " ;
echo "</td></tr>" ;

echo "<tr><td valign = top align='right' ><FONT SIZE = 1 color = black font face =
'Verdana'>" ;
echo "Feedback comment" ;
echo "<br>Max 200 words." ;
echo "</td>";

echo "<td width = 2% >";
echo "</td>";

echo "<td valign = top><FONT SIZE = 1 color = black font face = 'Verdana'>" ;
echo "<textarea name='fdbktext' rows = '5' cols = '40' maxsize = '1000'
value='$_POST[fdbktext]' >" ;
echo "</textarea>" ;
echo "</td></tr>" ;

/*
echo "<tr><td align='right' ><FONT SIZE = 1 color = black font face = 'Verdana'>" ;
echo "What country are you located in?" ;
echo "</td>";

echo "<td width = 2% >";
echo "</td>";

echo "<td><FONT SIZE = 1 color = black font face = 'Verdana'>" ;
echo "<input type='text' size = '40' maxsize = '50' name='fdbkcountry'
value='$_POST[fdbkcountry]' >" ;
echo "</td></tr>" ;
*/
echo "<tr>";
echo "<td align='right' >" ;
echo "<FONT SIZE = 1 color = black font face = 'Verdana'>";
echo "</td>";

echo "<td width = 2% >";
echo "</td>";

echo "<td>" ;

```

```

echo "<hr>";

if($_SESSION['sessaccesslevel'] < 2 ) {

//  <form method="post" action="verify.php">

    require_once('recaptchalib.php');
    $publickey =
"6Ld1wcASAAAAABotitHvvj34l_5Qp3zG3PfTAGOE"; // you got this from the signup page
    echo recaptcha_get_html($publickey);

}

else
{

}

echo "<input type = 'hidden' name = 'oldpageid' value = '$pageid2'> ";
echo "<input type='submit' name='Preview' value='Preview'> " ;
echo "</form> ";

echo "</td> ";
echo "</tr> ";
echo "</td> ";
echo "</tr> ";
echo "</table> ";
// <!-- End of Table B -->

//<!-- TABLE TO GIVE VERTICAL BALANCE -->

echo "<table width = 100%> ";
echo "<tr> ";
echo "<td width = 100%> ";
echo "<FONT SIZE = 4 color = 'green' font face = 'Verdana'>" ;
echo "<center><b><br></b></center>" ;
echo "</td> ";
echo "</tr> ";
echo "</table> ";

///////////////////////
// Right panel and footer information
// Right panel format and content

// HTML to move from center to right panel
include("../DBadmin/DBadmin000panelcenter2.php");

///////////////////////
// CONTENT
// The following defines the right panel content
include("../DBadmin/DBadmin000menuright001.php");

```

```
// The HTML to end right panel, to end tables and set up footer  
include("../DBadmin/DBadmin000paneldright2.php");  
  
// The HTML and the text for the footer  
include("../DBadmin/DBadmin000panelefooter1.php");  
|||||||||||||||||||||||||||  
  
?>
```

## DBfeedback002.php

```
<?php

// File name is DBfeedback002.php

$pageid = "DBfeedback002.php" ;
include("../DBadmin/DBadmin000panelatop1.php");
// The Top Header Visual
include("../DBadmin/DBadmin000panelatop2.php");
// An announcement across the top
include("../DBadmin/DBadmin000panelatop3.php");
// HTML to format left panel
include("../DBadmin/DBadmin000panelbleft1.php");

// CONTENT
// HTML to move from left panel to central panel
include("../DBadmin/DBadmin000panelbleft2.php");

///////////////////////////////
// CONTENT
// The following defines the center panel content
///////////////////////////////

if ($sessaccesslevel < 2) {
// have to complete the ReCaptcha routine

require_once('recaptchalib.php');
$privatekey = "6Ld1wcASAAAAABZRLQ8r5mH7UATS65TryEkgXCyb";
$resp = recaptcha_check_answer ($privatekey,
$_SERVER["REMOTE_ADDR"],
$_POST["recaptcha_challenge_field"],
$_POST["recaptcha_response_field"]);

if (!$resp->is_valid) {
// What happens when the CAPTCHA was entered incorrectly
// die ("The reCAPTCHA wasn't entered correctly. Go back and try it again." .
// "(reCAPTCHA said: " . $resp->error . ")");
echo "<FONT SIZE = 3 color = red font face = 'Verdana'>" ;
echo "<strong>Sorry! The reCAPTCHA wasn't entered correctly. Go back and try it again.</strong>" ;
$vformaction = "../DBadmin/". "DBmvissignin001.php" ;
echo "<form action= $vformaction method = 'POST' >" ;
//<input type = 'hidden' name = 'pagenumber' value = '1'>
//<input type = 'hidden' name = 'commctrycode' value = '$commctrycode' >
echo "<input type = 'submit' value = 'Try again'>" ;
echo "</form> ";
```

```

} else {
    // Your code here to handle a successful verification
    // LLOC FOR THE END OF THE ELSE CLAUSE
$sessaccesslevel = 2 ;
$username = $_POST[username] ;
$emailaddress = $_POST[$emailaddress] ;

$queryvisr1=
"INSERT INTO visitors (
visrusername ,
visremail ,
visrdate ,
visrdatetime,
visrsessid ,
visrsessnumber
) VALUES (
'$username',
'$emailaddress' ,
'$editdate' ,
'$editdatetime',
'$sessid',
'$sessnumber'
)";

// Section that executes query
$resultvisr1 = mysql_query($queryvisr1);

}

}

///////////
if ($sessaccesslevel > 1) {

$username = $_POST[username] ;
$emailaddress = $_POST[$emailaddress] ;
$oldpageid = $_POST['oldpageid'] ;
$gobacktopageid = $_SESSION[pageid2] ;
//echo "$oldpageid" ;
//echo "<br>" ;
//echo "$gobacktopageid" ;
//echo "<hr>" ;

$fdbkpersname = $_POST[fdbkpersname] ;
$emailaddress = $_POST[fdbkemail] ;
$fdbkctrycode = strtoupper($fdbkctrycode);
$fdbkcountry = $_POST[fdbkcountry] ;

```

```

$fdbktext = $_POST[fdbktext] ;
$textfromform = $fdbktext ;

/*
// A ROUTINE TO GET TEXT CLEANED OF POTENTIALLY MALICIOUS CHARACTERS
//include("../DBadmin/DBadmin000strtextcleaner.php");
$fdbktext = $textaftercleaning ;
// Start with $textfromform
// strip text of HTML tags except <p>, <b>, and <a>
$textinprocess1 = strip_tags($textfromform, '<p><b><a>');
// replace quotes with the encoded strings
$textinprocess2 = HTMLentities($textinprocess1, NET_QUOTES) ;
// trim blanks at either end
$textinprocess3 = trim($textinprocess2) ;
*/



/*
// A ROUTINE TO GET PREPARR FORM NAME FOR DATABASE
//include("../DBadmin/DBadmin000strnameedit1.php");
$namestring
// Start with $namefromform
// strip text of HTML tags except <p>, <b>, and <a>
$textinprocess1 = strip_tags($namefromform, '<p><b><a>');
// replace quotes with the encoded strings
$textinprocess2 = HTMLentities($textinprocess1, NET_QUOTES) ;
// trim blanks at either end
$textinprocess3 = trim($textinprocess2) ;
// replace space in name with underscore
$textinprocess4 = preg_replace('/\s+/', '_', $textinprocess3);
*/



/*
// A ROUTINE TO PREPARR DATABASE NAME FOR WEBPAGE
//include("../DBadmin/DBadmin000strnameedit2.php");
$namefromquery
$username = str_replace('_', '', $namefromquery);
*/



$fdbkdate = $editdate ;
$fdbkdatetime = $editdatetime ;

echo "<table width = 100% bgcolor = 'white' >" ;

// A ROUTINE TO SHOW THE SESSION VAIRABLES USED TO CUSTOMIZE PAGES
include("../DBadmin/DBadmin000showvariables.php");

echo "<tr>" ;

echo "<td width = 100% align = center valign = top >" ;

```

```

echo "<form action='..../DBadmin/DBfeedback003.php' method = 'POST' >";

echo "<FONT SIZE = 4 color = green font face = 'Verdana'>";
echo "<center>";
echo "<b>Feedback</b><br>";

echo "<FONT SIZE = 2 color = green font face = 'Verdana'>";
echo "<b>Preview</b><br>";
echo "<FONT SIZE = 1 color = red font face = 'Verdana'>";
echo "Use browser back button to make changes.<br>";
echo "<FONT SIZE = 1 color = green font face = 'Verdana'>";
echo "Otherwise, hit SAVE and your information will be saved" ;
echo "<FONT SIZE = 1 color = green font face = 'Verdana'> ";
echo "<hr>" ;
echo "</td>";
echo "</tr>";
echo "</table >";

echo "<FONT SIZE = 1 color = black font face = 'Verdana'>";

//<!-- Start of Table B -->
echo "<table width = 100% bgcolor = 'white' >" ;
echo "<tr>" ;
echo "<td width = 30% valign = top align=right>";
//echo "<hr>";
echo "<FONT SIZE = 1 color = black font face = 'Verdana'>";
echo "Your name ";

echo "<td width = 2% >";
echo "</td>";

echo "</td><td width = 70% valign = top ><FONT SIZE = 1 color = black font face =
'Verdana'>";
//echo "<hr>";

echo "$username" ;
echo "<input type='hidden' name='username' value= '$username' >" ;
echo "<br>" ;
echo "</td></tr> " ;

echo "<tr><td align='right' valign = top ><FONT SIZE = 1 color = black font face =
'Verdana'>" ;
echo "E-mail address" ;
echo "</td>";

echo "<td width = 2% >";
echo "</td>";

```

```

echo "<td valign = top ><FONT SIZE = 1 color = black font face = 'Verdana'>" ;
echo "$useremail" ;
echo "<input type='hidden' name='useremail' value='$useremail' >" ;
echo "<br>" ;
echo "</td></tr>" ;

echo "<tr><td valign = top align='right' ><FONT SIZE = 1 color = black font face =
'Verdana'>" ;
echo "Feedback comment" ;
echo "<br>Max 200 words." ;
echo "</td>";

echo "<td width = 2% >";
echo "</td>";

echo "<td valign = top><FONT SIZE = 1 color = black font face = 'Verdana'>" ;

echo $_POST['fdbktext'] ;
echo "<input type = hidden name='fdbktext' value='$_POST[fdbktext]' >" ;
echo "</td></tr>" ;

/*
echo "<tr><td align='right' ><FONT SIZE = 1 color = black font face = 'Verdana'>" ;
echo "What country are you located in?" ;
echo "</td>";

echo "<td width = 2% >";
echo "</td>";

//echo "<td><FONT SIZE = 1 color = black font face = 'Verdana'>" ;

//$_fdbkcountry = $_POST[fdbkcountry] ;
//echo "$fdbkcountry" ;
//echo "<input type='hidden' name='fdbkcountry' value='$_POST[fdbkcountry]' >" ;

//echo "</td>
echo "</tr>" ;

echo "<tr>";
echo "<td align='right' >" ;
echo "<FONT SIZE = 1 color = black font face = 'Verdana'>";
echo "</td>";

echo "<td width = 2% >";
echo "</td>";

echo "<td>" ;
*/

```

```

echo "<tr>";
echo "<td colspan = 3 width = 100% >" ;
echo "<center>" ;
echo "<input type='submit' name='Post' value='Post'> " ;
echo "</form>" ;
echo "</center>" ;
echo "</td>" ;
echo "</tr>" ;
echo "</table>" ;
}

else
{
}

//<!-- TABLE TO GIVE VERTICAL BALANCE -->
echo "<table width = 100%>" ;
echo "<tr>" ;
echo "<td width = 100%>" ;
echo "<FONT SIZE = 4 color = 'green' font face = 'Verdana'>" ;
echo "<center><b><br></b></center>" ;
echo "</td>" ;
echo "</tr>" ;
echo "</table>" ;

///////////////////////
// Right panel and footer information
// Right panel format and content

// HTML to move from center to right panel
include("../DBadmin/DBadmin000panelcenter2.php");

///////////////////////
// CONTENT
// The following defines the right panel content
include("../DBadmin/DBadmin000menuright001.php");

// The HTML to end right panel, to end tables and set up footer
include("../DBadmin/DBadmin000paneldright2.php");

// The HTML and the text for the footer
include("../DBadmin/DBadmin000panelefooter1.php");

?>

```

## recaptchalib.php

```
<?php
/*
 * This is a PHP library that handles calling reCAPTCHA.
 * - Documentation and latest version
 *     http://recaptcha.net/plugins/php/
 * - Get a reCAPTCHA API Key
 *     https://www.google.com/recaptcha/admin/create
 * - Discussion group
 *     http://groups.google.com/group/recaptcha
 *
 * Copyright (c) 2007 reCAPTCHA -- http://recaptcha.net
 * AUTHORS:
 * Mike Crawford
 * Ben Maurer
 *
 * Permission is hereby granted, free of charge, to any person obtaining a copy
 * of this software and associated documentation files (the "Software"), to deal
 * in the Software without restriction, including without limitation the rights
 * to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
 * copies of the Software, and to permit persons to whom the Software is
 * furnished to do so, subject to the following conditions:
 *
 * The above copyright notice and this permission notice shall be included in
 * all copies or substantial portions of the Software.
 *
 * THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR
 * IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY,
 * FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT
SHALL THE
 * AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR
OTHER
 * LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE,
ARISING FROM,
 * OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER
DEALINGS IN
 * THE SOFTWARE.
*/
/***
 * The reCAPTCHA server URL's
 */
define("RECAPTCHA_API_SERVER", "http://www.google.com/recaptcha/api");
define("RECAPTCHA_API_SECURE_SERVER", "https://www.google.com/recaptcha/api");
```

```

define("RECAPTCHA_VERIFY_SERVER", "www.google.com");

/**
 * Encodes the given data into a query string format
 * @param $data - array of string elements to be encoded
 * @return string - encoded request
 */
function _recaptcha_qsencode ($data) {
    $req = "";
    foreach ( $data as $key => $value )
        $req .= $key . '=' . urlencode( stripslashes($value) ) . '&';

    // Cut the last '&'
    $req=substr($req,0,strlen($req)-1);
    return $req;
}

/**
 * Submits an HTTP POST to a reCAPTCHA server
 * @param string $host
 * @param string $path
 * @param array $data
 * @param int $port
 * @return array response
 */
function _recaptcha_http_post($host, $path, $data, $port = 80) {

    $req = _recaptcha_qsencode ($data);

    $http_request = "POST $path HTTP/1.0\r\n";
    $http_request .= "Host: $host\r\n";
    $http_request .= "Content-Type: application/x-www-form-urlencoded;\r\n";
    $http_request .= "Content-Length: " . strlen($req) . "\r\n";
    $http_request .= "User-Agent: reCAPTCHA/PHP\r\n";
    $http_request .= "\r\n";
    $http_request .= $req;

    $response = "";
    if( false == ( $fs = @fsockopen($host, $port, $errno, $errstr, 10) ) ) {
        die ('Could not open socket');
    }

    fwrite($fs, $http_request);

    while ( !feof($fs) )
        $response .= fgets($fs, 1160); // One TCP-IP packet
    fclose($fs);
}

```

```

$response = explode("\r\n\r\n", $response, 2);

return $response;
}

/***
 * Gets the challenge HTML (javascript and non-javascript version).
 * This is called from the browser, and the resulting reCAPTCHA HTML widget
 * is embedded within the HTML form it was called from.
 * @param string $pubkey A public key for reCAPTCHA
 * @param string $error The error given by reCAPTCHA (optional, default is null)
 * @param boolean $use_ssl Should the request be made over ssl? (optional, default is false)

 * @return string - The HTML to be embedded in the user's form.
 */
function recaptcha_get_html ($pubkey, $error = null, $use_ssl = false)
{
    if ($pubkey == null || $pubkey == "") {
        die ("To use reCAPTCHA you must get an API key from <a
href='https://www.google.com/recaptcha/admin/create'>https://www.google.com/recaptcha/admi
n/create</a>");
    }

    if ($use_ssl) {
        $server = RECAPTCHA_API_SECURE_SERVER;
    } else {
        $server = RECAPTCHA_API_SERVER;
    }

    $errorpart = "";
    if ($error) {
        $errorpart = "&error=" . $error;
    }
    return '<script type="text/javascript" src="'. $server . '/challenge?k=' . $pubkey . $errorpart .
"""></script>

<noscript>
    <iframe src="'. $server . '/noscript?k=' . $pubkey . $errorpart . '" height="300"
width="500" frameborder="0"></iframe><br/>
    <textarea name="recaptcha_challenge_field" rows="3" cols="40"></textarea>
    <input type="hidden" name="recaptcha_response_field"
value="manual_challenge"/>
</noscript>';
}

```

```

/**
 * A ReCaptchaResponse is returned from recaptcha_check_answer()
 */
class ReCaptchaResponse {
    var $is_valid;
    var $error;
}

/**
 * Calls an HTTP POST function to verify if the user's guess was correct
 * @param string $privkey
 * @param string $remoteip
 * @param string $challenge
 * @param string $response
 * @param array $extra_params an array of extra variables to post to the server
 * @return ReCaptchaResponse
 */
function recaptcha_check_answer ($privkey, $remoteip, $challenge, $response, $extra_params =
array())
{
    if ($privkey == null || $privkey == "") {
        die ("To use reCAPTCHA you must get an API key from <a


```

```

        'response' => $response
    ) + $extra_params
);

$answers = explode ("\n", $response [1]);
$recaptcha_response = new ReCaptchaResponse();

if (trim ($answers [0]) == 'true') {
    $recaptcha_response->is_valid = true;
}
else {
    $recaptcha_response->is_valid = false;
    $recaptcha_response->error = $answers [1];
}
return $recaptcha_response;

}

/***
 * gets a URL where the user can sign up for reCAPTCHA. If your application
 * has a configuration page where you enter a key, you should provide a link
 * using this function.
 * @param string $domain The domain where the page is hosted
 * @param string $appname The name of your application
 */
function recaptcha_get_signup_url ($domain = null, $appname = null) {
    return "https://www.google.com/recaptcha/admin/create?" . _recaptcha_qsencode (array
('domains' => $domain, 'app' => $appname));
}

function _recaptcha_aes_pad($val) {
    $block_size = 16;
    $numpad = $block_size - (strlen ($val) % $block_size);
    return str_pad($val, strlen ($val) + $numpad, chr($numpad));
}

/* Mailhide related code */

function _recaptcha_aes_encrypt($val,$ky) {
    if (! function_exists ("mcrypt_encrypt")) {
        die ("To use reCAPTCHA Mailhide, you need to have the mcrypt php module
installed.");
    }
    $mode=MCRYPT_MODE_CBC;
    $enc=MCRYPT_RIJNDAEL_128;
    $val=_recaptcha_aes_pad($val);
    return mcrypt_encrypt($enc, $ky, $val, $mode, "\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0");
}

```

```

function _recaptcha_mailhide_urlbase64 ($x) {
    return strtr(base64_encode ($x), '+/','-_');
}

/* gets the reCAPTCHA Mailhide url for a given email, public key and private key */
function recaptcha_mailhide_url($pubkey, $privkey, $email) {
    if ($pubkey == "" || $pubkey == null || $privkey == "" || $privkey == null) {
        die ("To use reCAPTCHA Mailhide, you have to sign up for a public and private
key, ".
        "you can do so at <a
        href='http://www.google.com/recaptcha/mailhide/apikey'>http://www.google.com/recaptcha/mail
hide/apikey</a>");
    }

$ky = pack('H*', $privkey);
$cryptmail = _recaptcha_aes_encrypt ($email, $ky);

    return "http://www.google.com/recaptcha/mailhide/d?k=". $pubkey . "&c=" .
_recaptcha_mailhide_urlbase64 ($cryptmail);
}

/***
 * gets the parts of the email to expose to the user.
 * eg, given johndoe@example.com return ["john", "example.com"].
 * the email is then displayed as john...@example.com
 */
function _recaptcha_mailhide_email_parts ($email) {
    $arr = preg_split("/@/", $email );

    if (strlen ($arr[0]) <= 4) {
        $arr[0] = substr ($arr[0], 0, 1);
    } else if (strlen ($arr[0]) <= 6) {
        $arr[0] = substr ($arr[0], 0, 3);
    } else {
        $arr[0] = substr ($arr[0], 0, 4);
    }
    return $arr;
}

/***
 * Gets html to display an email address given a public an private key.
 * to get a key, go to:
 *
 * http://www.google.com/recaptcha/mailhide/apikey
 */
function recaptcha_mailhide_html($pubkey, $privkey, $email) {
    $emailparts = _recaptcha_mailhide_email_parts ($email);

```

```
$url = recaptcha_mailhide_url ($pubkey, $privkey, $email);

return htmlentities($emailparts[0]) . "<a href=\"" . htmlentities ($url) .
    "\" onclick=\"window.open(\"" . htmlentities ($url) . "\", ",
'toolbar=0,scrollbars=0,location=0,statusbar=0,menubar=0,resizable=0,width=500,height=300");
return false;" title=\"Reveal this e-mail address\">...</a>@" . htmlentities ($emailparts [1]);

}

?>
```

## **DBfeedback003.php**

```
<?php

// File name is DBfeedback003.php

$pageid = "DBfeedback003.php" ;
include("../DBadmin/DBadmin000panelatop1.php");
// The Top Header Visual
include("../DBadmin/DBadmin000panelatop2.php");
// A menu set across the top
include("../DBadmin/DBadmin000panelatop3.php");
// HTML to format left panel
include("../DBadmin/DBadmin000panelbleft1.php");

// HTML to move from left panel to central panel
include("../DBadmin/DBadmin000panelbleft2.php");

///////////////////////////////
// CONTENT
// The following defines the center panel content
///////////////////////////////

$gobacktopageid = $_SESSION[pageid2] ;
$username = $_POST[username] ;
$useremail = $_POST[useremail] ;
$fdbktext = $_POST[fdbktext] ;

//<!-- Start of Table A -->

echo "<table width = 100% bgcolor = 'white' >" ;

// A ROUTINE TO SHOW THE SESSION VAIRABLES USED TO CUSTOMIZE PAGES
include("../DBadmin/DBadmin000showvariables.php");

echo "<tr>" ;
echo "<td width = 100% align = center valign = top >" ;

$vstringfeedback3 = "../DBadmin/".$gobacktopageid" ;
//echo "$vstringfeedback3" ;

/////////////////////////////
// Routine to save the save the previewed material
// put data into the database

$queryfdbk003=
"INSERT INTO feedback (
```

```

fdbksessnumber,
fdbkpersname,
fdbkemail,
fdbkpageid,
fdbktext,
fdbkdate,
fdbkdatetime
) VALUES (
'$sessnumber' ,
'$username',
'$useremail',
'$gobacktopageid' ,
'$fdbktext',
'$editdate',
'$editdatetime'
)";

$resultfdbk003 = mysql_query($queryfdbk003);

echo "<FONT SIZE = 4 color = green font face = 'Verdana'>";
echo "<center>";
echo "<b>Feedback</b><br>";
echo "<br>";
echo "<FONT SIZE = 2 color = green font face = 'Verdana'>";
echo "Thank you for your feedback ... It has been saved. ";
echo "<FONT SIZE = 1 color = red font face = 'Verdana'><br>";
echo "Hit CONTINUE button to return to original page. <br>";
echo "<br>";

echo "<form action='$vstringfeedback3' method = 'POST' >";
echo "<input type='submit' name='Continue' value='Continue'> ";
echo "</form> ";

//<!-- TABLE TO GIVE VERTICAL BALANCE -->

echo "<table width = 100%> ";
echo "<tr> ";
echo "<td width = 100%> ";
echo "<FONT SIZE = 4 color = 'green' font face = 'Verdana'> ";
echo "<center><b><br></b></center> ";
echo "</td> ";
echo "</tr> ";
echo "</table> ";

echo "</td> ";
echo "</tr> ";
echo "</table> ";

```

```
///////////
// Right panel and footer information
// Right panel format and content

// HTML to move from center to right panel
include("../DBadmin/DBadmin000panelcenter2.php");

/////////
// CONTENT
// The following defines the right panel content
// Content for right panel ... a common menu
// include("../DBadmin/tanamenuright1b.txt");
include("../DBadmin/DBadmin000menuright001.php");

// The HTML to end right panel, to end tables and set up footer
include("../DBadmin/DBadmin000paneldright2.php");

// The HTML and the text for the footer
include("../DBadmin/DBadmin000panelefooter1.php");
///////////
```

?>

## **DBfeedback004.php**

```
<?php

// File name is DBfeedback004.php
// The purpose of this code is to allow a visitor to give feedback about the active page

// $vv6 is the originating page
// This PHP program is called from many different pages

// $vv3 = 1 ... do the original form
// $vv3 = 2 ... show the preview
// $vv3 = 3 ... put info into the database

$pageid = "DBfeedback001.php" ;
include("../DBadmin/DBadmin001.php") ; // The database set up

///////////////////////
// SET UP OF THE RESULT PAGE
// Header, left panel format and content

// HTML set up for the regular browser presentation
include("../DBadmin/DBadmin000panelatop1.php");

// The Top Header Visual
include("../DBadmin/DBadmin000panelatop2.php");

// An announcement across the top
include("../DBadmin/DBadmin000panelatop3.php");

// HTML to format left panel
include("../DBadmin/DBadmin000panelbleft1.php");

// CONTENT
// The following defines the left panel content
//include("../DBadmin/tanamenuleft1b.txt");

// HTML to move from left panel to central panel
include("../DBadmin/DBadmin000panelbleft2.php");

///////////////////////
// CONTENT
// The following defines the center panel content
///////////////////////

//echo "In feedback routine ...line 44 IF 3 getting ready to save ... vv3 is ".$vv3."  
" ;
```

```

$fdbkpersname = $_POST[fdbkpersname] ;
$fdbkemail = $_POST[fdbkemail] ;
$fdbkctrycode = strtoupper($fdbkctrycode);
$fdbkcountry = $_POST[fdbkcountry] ;
$fdbkpageid = $vv6 ;
$fdbktext = $_POST[fdbktext] ;
$fdbkdate = $editdate ;
$fdbkdatetime = $editdatetime ;

//<!-- Start of Table A -->
//echo "In feedback routine ...line 47 vv3 is ".$vv3."<br>" ;

echo "<table width = 100% bgcolor = 'white' >" ;
echo "<tr>" ;

echo "<td width = 100% align = center valign = top >" ;

// this is for preview
$vstringfeedback1 = "../DBadmin/". "DBfeedback001.php". "?"
vv1=$vv1". "&vv2=". "$vv2". "&vv3=". "2".
"&vv4=". "$vv4". "&vv5=". "$vv5". "&vv6=". "$vv6". "&vv7=". "$vv7". "&vv8=". "$vv8". "&vv9=". "
"$vv9" ;
// this is for saving
$vstringfeedback2 = "../DBadmin/". "DBfeedback001.php". "?"
vv1=$vv1". "&vv2=". "$vv2". "&vv3=". "3".
"&vv4=". "$vv4". "&vv5=". "$vv5". "&vv6=". "$vv6". "&vv7=". "$vv7". "&vv8=". "$vv8". "&vv9=". "
"$vv9" ;
// sending back to the calling page // $vv3 set to 0
$vstringfeedback3 = "../DBadmin/". "$vv6". "?vv1=1". "&vv2=". "$vv2". "&vv3=". "0".
"&vv4=". "$vv4". "&vv5=". "$vv5". "&vv6=". "$vv6". "&vv7=". "$vv7". "&vv8=". "$vv8". "&vv9=". "
"$vv9" ;

// $vv3 is 3 ... this puts the data that has been entered into the database
// IF 1A

switch ($vv3)
{
///////////////////////////////
// Routine to save the save the previewed material

case 3 ;

//echo "In feedback routine ...line 82 ... vv3 is ".$vv3."<br>" ;

$vv3 = 0 ;

```

```

// put data into the database

// echo "In feedback routine ...line 87 ... vv3 is ".$vv3."<br>" ;

// Put the form supplied information into the community table
$queryfdbk2=
"INSERT INTO feedback (
fdbksessnumber,
fdbkpersname,
fdbkemail,
fdbkcountry,
fdbkpageid,
fdbktext,
fdbkdate,
fdbkdatetime
) VALUES (
'$vv9',
'$fdbkpersname',
'$fdbkemail',
'$fdbkcountry',
'$fdbkpageid',
'$fdbktext',
'$fdbkdate',
'$fdbkdatetime'
)";

$resultfdbk2 = mysql_query($queryfdbk2);
//$rowfdbk1 = mysql_fetch_array($resultfdbk1);
//extract ($rowfdbk1);

echo "<FONT SIZE = 4 color = green font face = 'Verdana'>";
echo "<center>";
echo "<b>Visitor Feedback</b><br>";
echo "<br>";
echo "<FONT SIZE = 2 color = green font face = 'Verdana'>";
echo "Thank you for your feedback ... It has been saved. ";
echo "<FONT SIZE = 1 color = red font face = 'Verdana'><br>";
echo "Hit CONTINUE button to return to original page. <br>";
echo "<br>";

echo "<form action='$vstringfeedback3' method = 'POST' >";
echo "<input type='submit' name='Continue' value='Continue'> ";
echo "</form> ";

break;

///////////////////////////////
/////////////////////////////
// Preview of what is to be saved

```

```

case 2 ;

//echo "In feedback routine ... ELSE line 124 NOT going to save ... vv3 is ".$vv3."  
" ;

// $vv3 is 2 means that there has already been data entered into the form ... this is preview.
// $vv3 is 1 means that there is a new form to be filled in.
// IF
echo "<form action='$vstringfeedback2' method = 'POST' >";

echo "<FONT SIZE = 4 color = green font face = 'Verdana'>";
echo "<center>";
echo "<b>Visitor Feedback</b><br>";

//echo "In feedback routine ... line 150 ... vv3 is ".$vv3."  
" ;

echo "<FONT SIZE = 2 color = green font face = 'Verdana'>";
echo "<b>Preview</b><br>";
echo "<FONT SIZE = 1 color = red font face = 'Verdana'>";
echo "Use browser back button to make changes.<br>";
echo "<FONT SIZE = 1 color = green font face = 'Verdana'>";
echo "Otherwise, hit SAVE and your information will be saved" ;
echo "<FONT SIZE = 1 color = green font face = 'Verdana'> ";
echo "<br> ";

echo "</td>";
echo "</tr>";
echo "</table >";

echo "<FONT SIZE = 1 color = black font face = 'Verdana'>";

//<!-- Start of Table B -->
echo "<table width = 100% bgcolor = 'white' > ";
echo "<tr> ";
echo "<td width = 30% valign = top align=right>";
echo "<hr>";
echo "<FONT SIZE = 1 color = black font face = 'Verdana'>";
echo "Your name ";

echo "<td width = 2% >";
echo "</td>";

echo "</td><td width = 70% valign = top ><FONT SIZE = 1 color = black font face =
'Verdana'>";
echo "<hr>";

$fdbkpersname = $_POST[fdbkpersname] ;
echo "$fdbkpersname" ;

```

```

echo "<input type='hidden' name='fdbkpersname' value='$_POST[fdbkpersname]' >" ;
echo "<br>" ;
echo "</td></tr>" ;

echo "<tr><td align='right' valign = top ><FONT SIZE = 1 color = black font face =
'Verdana'>" ;
echo "E-mail address" ;
echo "</td>";

echo "<td width = 2% >";
echo "</td>";

echo "<td valign = top ><FONT SIZE = 1 color = black font face = 'Verdana'>" ;

$persemail = $_POST[persemail] ;
echo "$fdbkemail" ;
echo "<input type='hidden' name='fdbkemail' value='$_POST[fdbkemail]' >" ;
echo "<br>" ;
echo "</td></tr>" ;

echo "<tr><td valign = top align='right' ><FONT SIZE = 1 color = black font face =
'Verdana'>" ;
echo "Feedback comment" ;
echo "<br>Max 200 words." ;
echo "</td>";

echo "<td width = 2% >";
echo "</td>";

echo "<td valign = top ><FONT SIZE = 1 color = black font face = 'Verdana'>" ;

$fdbktext = $_POST[fdbktext] ;
echo @$_POST['fdbktext'] ;
echo "<input type = hidden name='fdbktext' value='$_POST[fdbktext]' >" ;
echo "</td></tr>" ;

echo "<tr><td align='right' ><FONT SIZE = 1 color = black font face = 'Verdana'>" ;
echo "What country are you located in?" ;
echo "</td>";

echo "<td width = 2% >";
echo "</td>";

echo "<td><FONT SIZE = 1 color = black font face = 'Verdana'>" ;

$fdbkcountry = $_POST[fdbkcountry] ;
echo "$fdbkcountry" ;
echo "<input type='hidden' name='fdbkcountry' value='$_POST[fdbkcountry]' >" ;

```

```

echo "</td></tr>" ;

echo "<tr>";
echo "<td align='right' >" ;
echo "<FONT SIZE = 1 color = black font face = 'Verdana'>";
echo "</td>";

echo "<td width = 2% >";
echo "</td>";

echo "<td>" ;

echo "<input type='submit' name='Save' value='Save'> " ;
echo "</form>" ;

echo "</td>" ;
echo "</tr>" ;
echo "</td>" ;
echo "</tr>" ;
echo "</table>" ;
// <!-- End of Table B -->

break ;

///////////
///////////

case 1 ;

//echo "In feedback routine ... ELSE line 249 NOT going to save ... vv3 is ".$vv3."  
" ;

echo "<form action='$vstringfeedback1' method = 'POST' >";

echo "<FONT SIZE = 4 color = green font face = 'Verdana'>";
echo "<center>";
echo "<b>Visitor Feedback</b><br>";

//echo "In feedback routine ... line 164 ... vv3 is ".$vv3."  
" ;

echo "<FONT SIZE = 1 color = black font face = 'Verdana'>";
echo
"Tr-Ac-Net has implemented a feedback program ... while we know what we <br>
want to do, it is entirely probable that you will have a better idea. It seems<br>
sensible to try to get the best of what you and everyone else can offer. ";

echo "</td>";
echo "</tr>";



```

```

echo "</table>";

echo "<FONT SIZE = 1 color = black font face = 'Verdana'>";

//!-- Start of Table B --
echo "<table width = 100% bgcolor = 'white' >" ;
echo "<tr>" ;
echo "<td width = 30% valign = top align=right>";
echo "<hr>";
echo "<FONT SIZE = 1 color = black font face = 'Verdana'>";
echo "Your name ";

echo "<td width = 2% >";
echo "</td>";

echo "</td><td width = 70% valign = top ><FONT SIZE = 1 color = black font face =
'Verdana'>";
echo "<hr>";

// IF
// this is the preview process

$fdbkpersname = $sessvisrname ;
$fdbkemail = $sessvisremail ;

echo "<input type='text' size = '40' maxsize = '50' name='fdbkpersname' value='$fdbkpersname'
>" ;
echo "</td></tr>" ;

echo "<tr><td align='right' valign = top ><FONT SIZE = 1 color = black font face =
'Verdana'>" ;
echo "E-mail address" ;
echo "</td>";

echo "<td width = 2% >";
echo "</td>";

echo "<td valign = top ><FONT SIZE = 1 color = black font face = 'Verdana'>" ;

echo "<input type='text' size = '40' maxsize = '50' name='fdbkemail' value='$fdbkemail' > " ;

echo "</td></tr>" ;

echo "<tr><td valign = top align='right' ><FONT SIZE = 1 color = black font face =
'Verdana'>" ;
echo "Feedback comment" ;
echo "<br>Max 200 words." ;

```

```

echo "</td>";

echo "<td width = 2% >";
echo "</td>";

echo "<td valign = top><FONT SIZE = 1 color = black font face = 'Verdana'>" ;

echo "<textarea name='fdbktext' rows = '5' cols = '40' maxsize = '1000'
value='$_POST[fdbktext]' >" ;
echo "</textarea>" ;
echo "</td></tr>" ;

echo "<tr><td align='right' ><FONT SIZE = 1 color = black font face = 'Verdana'>" ;
echo "What country are you located in?" ;
echo "</td>";

echo "<td width = 2% >";
echo "</td>";

echo "<td><FONT SIZE = 1 color = black font face = 'Verdana'>" ;

echo "<input type='text' size = '40' maxsize = '50' name='fdbkcountry'
value='$_POST[fdbkcountry]' >" ;

echo "</td></tr>" ;

echo "<tr>";
echo "<td align='right' >" ;
echo "<FONT SIZE = 1 color = black font face = 'Verdana'>";
echo "</td>";

echo "<td width = 2% >";
echo "</td>";

echo "<td>" ;

// == 1 Getting ready to preview
echo "<input type='submit' name='Preview' value='Preview'> " ;
echo "</form>" ;

echo "</td>" ;
echo "</tr>" ;
echo "</td>" ;
echo "</tr>" ;
echo "</table>" ;
// <!-- End of Table B -->

break ;

```

```

default;

break;

}

//<!-- TABLE TO GIVE VERTICAL BALANCE -->

echo "<table width = 100%>" ;
echo "<tr>" ;
echo "<td width = 100%>" ;
echo "<FONT SIZE = 4 color = 'green' font face = 'Verdana'>" ;
echo "<center><b><br></b></center>" ;
echo "</td>" ;
echo "</tr>" ;
echo "</table>" ;

///////////////////////
// Right panel and footer information
// Right panel format and content

// HTML to move from center to right panel
include("../DBadmin/DBadmin000panelcenter2.php");

///////////////////////
// CONTENT
// The following defines the right panel content
// Content for right panel ... a common menu
// include("../DBadmin/tanamenuright1b.txt");
include("../DBadmin/DBadmin000menuright001.php");

// The HTML to end right panel, to end tables and set up footer
include("../DBadmin/DBadmin000paneldright2.php");

// The HTML and the text for the footer
include("../DBadmin/DBadmin000panelefooter1.php");
///////////////////////
?>

```

## **DBfeedback005.php**

```
<?php

// File name is DBfeedback005.php

$pageid = "DBfeedback005.php" ;
include("../DBadmin/DBadmin000panelatop1.php");
// The Top Header Visual
include("../DBadmin/DBadmin000panelatop2.php");
// A menu set across the top
include("../DBadmin/DBadmin000panelatop3.php");
// HTML to format left panel
include("../DBadmin/DBadmin000panelbleft1.php");

// HTML to move from left panel to central panel
include("../DBadmin/DBadmin000panelbleft2.php");

///////////////////////////////
// CONTENT
// The following defines the center panel content
///////////////////////////////

// $gobacktopageid = $_SESSION[pageid2] ;
// $gobacktopageid = $_SESSION['oldpageid'] ;
$gobacktopageid = $_SESSION['pageid2'] ;

/*
$username = $_POST[username] ;
$useremail = $_POST[useremail] ;
$fdbktext = $_POST[fdbktext] ;
*/
//<!-- Start of Table A -->

echo "<table width = 100% bgcolor = 'white' >" ;

// A ROUTINE TO SHOW THE SESSION VAIABLES USED TO CUSTOMIZE PAGES
include("../DBadmin/DBadmin000showvariables.php");

echo "<tr>" ;
echo "<td width = 100% align = center valign = top >" ;

$vstringfeedback3 = "../DBadmin/".$gobacktopageid" ;
//echo "$vstringfeedback3" ;
//echo "<br>" ;
//echo "$gobacktopageid" ;
```

```

///////////////////////////////
// Routine to save the save the previewed material
// put data into the database

$query2=
"SELECT
COUNT(fdbknumber) as commentcount
FROM feedback
WHERE fdbkpageid = '$gobacktopageid'
";

$result2 = mysql_query($query2);
$row2 = mysql_fetch_array($result2);
extract ($row2);

echo "<tr>" ;
echo "<td width = 100% valign = top >" ;
echo "<center>" ;
echo "<FONT SIZE = 3 color = green font face = 'Verdana'>" ;
echo "<strong>Comments from webpage $gobacktopageid</strong>" ;
echo "<br><FONT SIZE = 2 color = black font face = 'Verdana'>" ;
echo "There are $commentcount comments" ;
echo "</center>" ;
echo "<hr>" ;
echo "</td>" ;
echo "</tr>" ;

/*
SELECT fdbkpersname, fdbkdate , fdbktext
FROM feedback
WHERE fdbkpageid LIKE 'DBcommunities001.php'
ORDER BY fdbkdate DESC
*/
}

$query1=
"SELECT
fdbkpersname,
fdbkdate ,
fdbktext
FROM feedback
WHERE fdbkpageid = '$gobacktopageid'
ORDER BY fdbkdate DESC
";

$result1 = mysql_query($query1);
//$row1 = mysql_fetch_array($result1);
//extract ($row1);

```

```

$vcnt = 0 ;

while ( $row1 = mysql_fetch_array ($result1))
{
extract ($row1);

if ($fdbktext == "")
{
$vcnt = $vcnt + 1 ;
}
else
{
echo "<tr>" ;
echo "<td width = 100% valign = top >" ;
echo "<FONT SIZE = 1 color = black font face = 'Verdana'>" ;
echo "Posted by $fdbkpersname on $fdbkdate" ;
echo "<br>" ;
echo "<FONT SIZE = 2 color = black font face = 'Verdana'>" ;
echo "$fdbktext" ;
echo "<hr>" ;
echo "</td>" ;
echo "</tr>" ;

$vcnt = $vcnt + 1 ;
}
}

/*
$vstringfeedback3 = "../DBadmin/".$gobacktopageid" ;
echo "<form action='$vstringfeedback3' method = 'POST' >" ;
echo "<input type='submit' name='Continue' value='Continue'> " ;
echo "</form>" ;
*/
echo "<tr>" ;
echo "<td width = 100% valign = top >" ;
echo "<center>" ;
$formaction = "../DBadmin/".$gobacktopageid" ;
//echo "$formaction" ;
echo "<form action='$formaction' method = 'POST' >
<input type = 'hidden' name = 'pagenumber' value = '1'>
<input type = 'hidden' name = 'commctrycode' value = '$commctrycode' >
<input type = 'submit' value = 'Hide comments'>
</form>" ;
echo "</center>" ;
echo "</td>" ;
echo "</tr>" ;

// END RIGHT TABLE H TABLE GG

```

```

echo "</td>" ;
echo "</tr>" ;
echo "</table>" ;

//<!-- TABLE TO GIVE VERTICAL BALANCE -->

echo "<table width = 100%>" ;
echo "<tr>" ;
echo "<td width = 100%>" ;
echo "<FONT SIZE = 4 color = 'green' font face = 'Verdana'>" ;
echo "<center><b><br></b></center>" ;
echo "</td>" ;
echo "</tr>" ;
echo "</table>" ;

echo "</td>" ;
echo "</tr>" ;
echo "</table>" ;

///////////
// Right panel and footer information
// Right panel format and content

// HTML to move from center to right panel
include("../DBadmin/DBadmin000panelcenter2.php");

///////////
// CONTENT
// The following defines the right panel content
// Content for right panel ... a common menu
// include("../DBadmin/tanamenuright1b.txt");
include("../DBadmin/DBadmin000menuright001.php");

// The HTML to end right panel, to end tables and set up footer
include("../DBadmin/DBadmin000paneldright2.php");

// The HTML and the text for the footer
include("../DBadmin/DBadmin000panelefooter1.php");
///////////
?>

```